

## References

- Abel, P.D. 1989. Water Pollution Biology. In Ellis Horwood Series in Wastewater Technology. Ellis Horwood, Chichester, England.
- Adams, S.M., L.R. Shugart, G.R. Southworth, and D.E. Hinton. 1990. Application of bioindicators in assessing the health of fish populations experiencing contaminant stress. In J.F. McCarthy and L.R. Shugart, eds. Biomarkers of Environmental Contamination. Lewis Publ., CRC Press, Boca Raton, FL.
- Anderson, T.M. 1986. The Relationship Between Basin Cultivation and Stream Insect Composition in Small Agricultural Streams in Kansas. M.A. Thesis, Univ. Kansas, Lawrence.
- Angermeier, P.L. and J.R. Karr. 1986. Applying an index of biotic integrity based on stream-fish communities: considerations in sampling and interpretation. N. Am. J. Fish. Manage. 6:418-29.
- Armour, C.L., K.P. Burnham, and W.S. Platts. 1983. Field methods and statistical analysis for monitoring small salmonid streams. FWS/OBS-83/33. U.S. Fish Wildl. Serv., Dep. Inter., Washington, DC.
- Atkinson, S.F. 1985. Habitat-based methods for biological impact assessment. Environ. Prof. 7:265-82.
- Austin, A., S. Lang, and M. Pomeroy. 1981. Simple methods for sampling periphyton with observations on sampler design criteria. Hydrobiologica 85:33-47.
- Austin, M.E. 1972. Land resource regions and major land resource areas of the United States. Agriculture Handbook 296. Soil Conserv. Serv., U.S. Dep. Agric., Washington, DC.
- Bailey, R.G. 1976. Ecoregions of the United States. Map (scale 1:7,500,000). Intermountain Reg., Forest Serv., U.S. Dep. Agric., Ogden, UT.
- Bain, M.B., J.T. Finn, and H.E. Booke. 1988. Streamflow regulation and fish community structure. Ecology 69(2):382-92.
- Ball, J. 1982. Stream classification guidelines for Wisconsin. In Water Quality Standards Handbook. Off. Water Reg. Stand., U.S. Environ. Prot. Agency, Washington, DC.
- Barbour, M.T. et al. 1992. Evaluation of EPA's rapid bioassessment benthic metrics: metric redundancy and variability among reference stream sites. J. Environ. Toxicol. Chem. 11:437-49.
- Barbour, M.T. and J.B. Stribling. 1991. Use of habitat assessment in evaluating the biological integrity of stream communities. Pages 25-38 in Biological Criteria: Research and Regulation. EPA-440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Barbour, M.T. and S. Thorleif. 1990. Quality assurance issues related to field assessment of aquatic ecosystems. Pages 167-83 in D. Hart, ed. Proc. Third Annu. Ecol. Qual. Assur. Workshop, Burlington, Ontario, Canada.

- Barton, D.R., W.D. Taylor, and R.M. Biette. 1985. Dimensions of riparian buffer strips required to maintain trout habitat in southern Ontario streams. *N. Am. J. Fish. Manage.* 5:364-78.
- Batschelet, E. 1976. Introduction to Mathematics for Life Sciences. 2d ed. Springer-Verlag, New York.
- Bazata, K. 1991. Nebraska stream classification study. Rep. Surv. Water Sec., Water Qual. Div., Nebraska Dep. Environ. Control, Lincoln, NE.
- Benke, A.C., T.C. Van Arsdall Jr., and D.M. Gillespie. 1984. Invertebrate productivity in a subtropical blackwater river: the importance of habitat and life history. *Ecol. Monogr.* 54(1):25-63.
- Berthouex, P.M. and I. Hau. 1991. Difficulties related to using extreme percentiles for water quality regulations. *Res. J. Water Pollut. Control Fed.* 63(6):873-79.
- Borror, D.J., C.A. Triplehorn, and N.F. Johnson. 1989. An Introduction to the Study of Insects. 6th Ed. Saunders College Publ., Philadelphia, PA.
- Boyle, T.P., G.M. Smillie, J.C. Anderson, and D.P. Beeson. 1990. A sensitivity analysis of nine diversity and seven similarity indices. *J. Water Pollut. Control Fed.* 62:749-62.
- Bramblett, R.G. and K.D. Fausch. 1991. Variable fish communities and the index of biotic integrity in a western Great Plains river. *Trans. Am. Fish. Soc.* 120:752-69.
- Brooks, R.P. et al. 1991. Selection of biological indicators for integrating assessments of wetland, stream, and riparian habitats. Pages 81-89 in Biological Criteria: Research and Regulation. EPA-440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Cairns Jr., J. 1982. Artificial Substrates. Ann Arbor Science Publ., Ann Arbor, MI.
- Cairns Jr., J. and J.R. Pratt. 1986. Developing a sampling strategy. Pages 168-86 in B.G. Isom, ed. Rationale for Sampling and Interpretation of Ecological Data in the Assessment of Freshwater Ecosystems. ASTM STP 894. Am. Soc. Test. Mater., Philadelphia, PA.
- Campbell, J.M. and W.J. Clark. 1983. Effects of microhabitat heterogeneity on the spatial dispersion of small plant-associated invertebrates. *Freshw. Invertebrate Biol.* 2(4):180-85.
- Caper, J., G. Power, and F.R. Shivers, Jr. 1983. Chesapeake Waters, Pollution, Public Health, and Public Opinion, 1607-1972. Tidewater Publ., Centreville, MD.
- Carpenter, S.R. and D.M. Lodge. 1986. Effects of submerged macrophytes on ecosystems processes. *Aquat. Bot.* 26:341-70.
- Chambers, P.A., E.E. Prepas, H.R. Hamilton, and M.L. Bothwell. 1991. Current velocity and its effect on aquatic macrophytes in flowing waters. *Ecol. Appl.* 1(3):249-57.
- Chutter, F.M. 1972. An empirical biotic index of the quality of water in South African streams and rivers. *Water Resour.* 6:19-20.
- Coleman, R.L. and C.N. Dahm. 1990. Stream geomorphology: effects of periphyton standing crop and primary production. *J. N. Am. Benthol. Soc.* 9:293-302.
- Conquest, L.L., S.C. Ralph, and R.J. Naiman. 1994. Implementation of large-scale stream monitoring efforts: sampling design and data analysis issues. Pages 69-90 in S.L. Loeb and A. Spacie, eds., Biological Monitoring of Aquatic systems. Lewis Publ., Ann Arbor, MI.
- Cooper, J.E. 1984. Vanishing species: The dilemma of resources without price tags. Pages 7-32 in A.W. Norden et al. eds. Threatened and Endangered Plants and Animals of Maryland. Spec. Publ. 84-1. Maryland Nat. Heritage Prog.
- Croonquist, M.J. and R.P. Brooks. 1991. Use of avian and mammalian guilds as indicators of cumulative impacts in riparian-wetland areas. *Environ. Manage.* 1(5):701-14.
- Crowley, J.M. 1967. Biogeography. *Can. Geogr.* 11:312-26.

- Cuffney, T.E., M.E. Gurtz, and M.R. Meador. 1993. Methods for collecting benthic invertebrate samples as part of the National Water Quality Assessment program. Open file Rep. 93-406. U.S. Geological Survey, Raleigh, NC.
- Cummins, K.W. 1983. The natural stream ecosystem. In J.V. Ward and J.A. Stanford, eds. *The Ecology of Regulated Streams*. Plenum Press, New York, NY.
- Cummins, K.W. and M.J. Klug. 1979. Feeding ecology of stream invertebrates. *Annu. Rev. Ecol. Systematics* 10:147-72.
- Davies, S.P., L. Tsomides, D.L. Courtemanch, and F. Drummond. 1993. Biological Monitoring and Biocriteria Development Program. Maine Dep. Environ. Prot. Augusta, ME.
- Davis, W.S. and A. Lubin. 1991. Statistical validation of Ohio EPA's invertebrate community index. In Proc. 1989 Midw. Pollut. Control Biol. Meet., February 14-17, 1989. EPA-905/9-89-007. Chicago, IL.
- Dickson, K.L., W.T. Waller, J.H. Kennedy, and L.P. Ammann. 1992. Assessing the Relationship between Ambient Toxicity and In-stream Biological Response. *Environ. Toxicol. Chem.* 11:1307-22.
- Dudley, D.R. 1991. A state perspective on biological criteria in regulation. Pages 15-18 in *Biological Criteria: Research and Regulation*. Symp. Proc. EPA 440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington DC.
- Dudley, T.L., S.D. Cooper, and N. Hemphill. 1986. Effects of macroalgae on a stream invertebrate community. *J. N. Am. Benthol. Soc.* 5:93-106.
- EA, Inc., and Tetra Tech. 1994. Bioassessment for the Nonpoint Source Program. Rep. Prep. for Florida Dep. Environ. Prot., Tallahassee.
- Edwards, C.J. and R.A. Ryder. 1990. Biological surrogates of mesotrophic ecosystem health in the Laurentian Great Lakes. Rep. Great Lakes Sci. Advis. Board, Int. Joint Comm., Windsor, Ontario, Canada.
- Fassett, N.C. 1957. *A Manual of Aquatic Plants*. Univ. Wisconsin Press, Madison.
- Fausch, K.D., J.R. Karr, and P.R. Yant. 1984. Regional application of an index of biotic integrity based on stream fish communities. *Trans. Am. Fish. Soc.* 113:39-55.
- Fausch, K.D., C.L. Hawkes, and M.G. Parsons. 1988. Models that predict standing crop of stream fish from habitat variables: 1980-85. Gen. Tech. Rep. PNW GTR-213. Pacific Northwest Res. Sta., Forest Serv., U.S. Dep. Agric., Portland, OR.
- Fausch, K.D., J. Lyons, J.R. Karr, P.L. Angermeier. 1990. Fish communities as indicators of environmental degradation. *Am. Soc. Symp.* 8:123-44.
- Fenneman, N.M. 1946. Physical divisions of the United States. Map (scale 1:7,500,000). U.S. Geol. Surv., Reston, VA.
- Frey, D.G. 1975. Biological integrity of water - An historical approach. Pages 127-40 in R.K. Ballantine and L.J. Guarraia, eds. *The Integrity of Water*. Off. Water Hazard. Mater., U.S. Environ. Prot. Agency, Washington, DC.
- Gabler, R.E., R.J. Sager, S. Brazier, and D.L. Wise. 1976. *Essentials of Physical Geography*. CBS College Publ., Dryden Press, New York, NY.
- Gallant, A.L. et al. 1989. Regionalization as a tool for managing environmental resources. EPA 600/3-89/060. Environ. Res. Lab., U.S. Environ. Prot. Agency, Corvallis, OR.
- Gerritsen, J. and M.L. Bowman. 1994. Periphytic Diatom Assemblages of high elevation Rocky Mountain Lakes: Characterization of Reference Conditions. Rep. prep. for Montana Dep. Health Environ. Sci., Helena, MT.
- Gerritsen, J., J. Green, and R. Preston. 1993. Establishment of regional reference conditions for stream biological assessment and watershed management. Pres. at Watershed '93: A National Conference on Watershed Management, March 21-24, 1993. Alexandria, VA.

- Gibson, G.R. 1992. Procedures for Initiating Narrative Biological Criteria. EPA-822-B-92-002. U.S. Environ. Prot. Agency, Off. Sci. Technol., Washington, DC.
- Gislason, J.C. 1985. Aquatic insect abundance in a regulated stream under fluctuating and stable diel flow patterns. *N. Am. J. Fish. Manage.* 5:39-46.
- Gorman, O.T. 1988. The dynamics of habitat use in a guide of Ozark minnows. *Ecol. Monogr.* 58(1):1-18.
- Gray, J.S. 1989. Effects of environmental stress on species rich assemblages. *Biol. J. Linnean Soc.* 37:19-32.
- Gregg, W.W. and F.L. Rose. 1982. The effects of aquatic macrophytes on the stream microenvironment. *Aquat. Bot.* 14:309-24.
- Gregg, W.W. and F.L. Rose. 1985. Influences of aquatic macrophytes on invertebrate community structure, guild structure, and microdistribution in streams. *Hydrobiologia* 128:45-56.
- Griffith, G.E. and J.M. Omernik. 1991. Alabama/Mississippi Project. Geographic Research Component: Ecoregion/Subregion Delineation. ManTech Environ. Technol. Inc., Environ. Res. Lab., U.S. Environ. Prot. Agency, Corvallis, OR.
- Grimm, N.B. and S.G. Fisher. 1989. Stability of periphyton and macroinvertebrates to disturbance by flash floods in a desert stream. *J. N. Am. Benthol. Soc.* 8:293-307.
- Hamilton, P.B. and H.C. Duthie. 1984. Periphyton colonization of rock surfaces in a boreal forest stream studied by scanning electron microscopy and track autoradiography. *J. Phycol.* 20:525-32.
- Hammond, E.H. 1970. Classes of land-surface form, Map (scale 1:7,500,000). Pages 62-63 *In* The National Atlas of the United States of America. U.S. Geol. Surv., U.S. Dep. Agric., Washington, DC.
- Hart, D., ed. 1990. Proceedings: Third Annual Ecological Quality Assurance Workshop. U.S. Environ. Prot. Agency, Can. Min. Environ., Burlington, Ontario.
- Hart, D.D. 1992. Community organization in streams: the importance of species interactions, physical factors, and chance. *Oecologia* 91:220-28.
- Hayslip, G.A. 1992. EPA Region 10 in-stream biological monitoring handbook (for wadable streams in the Pacific Northwest). Draft. EPA-910/9-92-013. Environ. Serv. Div., Reg. 10, U.S. Environ. Prot. Agency, Seattle, WA.
- Herbertson, A.J. 1905. The major natural regions: An essay in systematic geography. *Geogr. J.* 25:300-12.
- Hill, M.T., W.S. Platts, and R.L. Beschta. 1991. Ecological and geomorphological concepts for in-stream and out-of-channel flow requirements. *Rivers* 2(3):198-210.
- Hilsenhoff, W.L. 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomol.* 20:31-39.
- Holland, A.F., ed. 1990. Near Coastal Program Plan for 1990: Estuaries. EPA/600/4-40/033. Environ. Res. Lab., Off. Res. Dev., U.S. Environ. Prot. Agency, Narragansett, RI.
- Hsiao, T.H. 1988. Host specificity, seasonality, and bionomics of *Leptinotarsa* beetles. Chapter 33 *in* P. Jolivet et al. eds. *Biology of Chrysomelidae*. Kluwer Acad. Publ., Boston, MA.
- Huggins, D.G. and M. Moffett. 1988. A proposed biotic index and habitat development index for use in streams in Kansas. Rep. 36. Kansas Biol. Surv., Lawrence, KS.
- Hughes, R.M. 1989. Ecoregional biological criteria. *In* Proc. Water Qual. Stand. for the 21st Century. U.S. Environ. Prot. Agency, Dallas, TX.
- Hughes, R.M. and J.M. Omernik. 1981. Use and misuse of the terms watershed and stream order. Pages 320-36 *in* L. Krumholz, ed. *Warm Water Streams Symp.* Am. Fish. Soc., Bethesda, MD.
- Hughes, R.M., D.P. Larsen, and J.M. Omernik. 1986. Regional reference sites: A method for assessing stream potentials. *Environ. Manage.* 10:629-35.

- Hughes, R.M. and J.R. Gammon. 1987. Longitudinal changes in fish assemblages and water quality in the Willamette River, Oregon. *Trans. Am. Fish. Soc.* 116(Z):196-209.
- Hughes, R.M., E. Rexstad, and C.E. Bond. 1987. The relationship of aquatic ecoregions, river basins, and physiographic provinces to the ichthyogeographic regions of Oregon. *Copeia* 1987:423-32.
- Hughes, R.M. and D.P. Larsen. 1988. Ecoregions: an approach to surface water protection. *J. Water Pollut. Control Fed.* 60:486-93.
- Hughes, R.M., C.M. Rohm, T.R. Whittier, and D.P. Larson. 1990. A regional framework for establishing recovery criteria. *Environ. Manage.* 14:673-84.
- Hupp, C.R. 1992. Riparian vegetation recovery patterns following stream channelization: a geomorphic perspective. *Ecology* 73(4):1209-26.
- Hupp, C.R. and A. Simon. 1986. Vegetation and bank-slope development. Pages 83-92 in *Proc. 4th Fed. Interagency Sedimentation Conf.*, Vol 2. Las Vegas, NV.
- Hupp, C.R. and A. Simon. 1991. Bank accretion and the development of vegetated depositional surfaces along modified alluvial channels. *Geomorphology* 4:111-24.
- Hurley, L.M. 1990. Field Guide to the Submerged Aquatic Vegetation of Chesapeake Bay. Chesapeake Bay Estuary Prog., U.S. Fish Wildl. Serv., U.S. Dep. Inter., Annapolis, MD.
- Hynes, H.B.N. 1970. *The Ecology of Running Waters*. Univ. Toronto Press, Toronto, Ontario, Canada.
- Idaho Department of Health and Welfare. 1991. State funded 319 project: biological metric development study plan. Pages 15-18 in *Rapid Bioassessment Protocol Development*, Boise, ID.
- Iffrig, G.F. and M. Bowles. 1983. A compendium of ecological and natural subdivisions of the U.S. Nat. Areas J. 3:3-11.
- Joerg, W.L.G. 1914. The subdivision of North America into natural regions: a preliminary inquiry. *Ann. Ass. Am. Geogr.* 4:55-83.
- Jones, R.C. and C.C. Clark. 1987. Impact of watershed urbanization on stream insect communities. *Water Resour. Bull.* 23(6):1047-55.
- Jongman, R.H.G., C.J.F. ter Braak, and O.F.R. van Tongeren, eds. 1987. *Data Analysis in Community and Landscape Ecology*. Pudoc, Wageningen.
- Karr, J.R. 1981. Assessment of biotic integrity using fish communities. *Fisheries* 6(6):21-27.
- \_\_\_\_\_. 1990. Biological integrity and the goal of environmental legislation: lessons for conservation biology. *Conserv. Biol.* 4:244-50.
- \_\_\_\_\_. 1991. Biological integrity: A long-neglected aspect of water resource management. *Ecol. Appl.* 1:66-84.
- Karr, J.R. and M. Dionne. 1991. Designing surveys to assess biological integrity in lakes and reservoirs. Pages 62-72 in *Biological Criteria: Research and Regulation*. EPA/440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Karr, J.R. and D.R. Dudley. 1981. Ecological perspective on water quality goals. *Environ. Manage.* 5:55-68.
- Karr, J.R. et al. 1986. *Assessing Biological Integrity in Running Waters: A Method and Its Rationale*. Spec. Publ. 5. Illinois Nat. History Surv., Urbana, IL.
- Karr, J.R. and B.L. Kerans. 1992. Components of biological integrity: Their definition and use in development of an invertebrate IBI. Pages 1-16 in T.P. Simon and W.S. Davis, eds. *Environmental Indicators: Measurement and Assessment Endpoints*. EPA-905/R-92/003. Environ. Sci. Div., Reg. 5, U.S. Environ. Prot. Agency, Chicago, IL.
- Kay, J.J. 1990. A non-equilibrium thermodynamic framework for discussing ecosystem integrity. Pages 209-37 in C.J. Edwards and H.A. Regier, eds. *An Ecosystem Ap-*

- proach to the Integrity of the Great Lakes in Turbulent Times. Spec. Publ. 90-4. Great Lakes Fish. Comm., Ann Arbor, MI.
- Kay, J.J. and E.D. Schneider. In press. Thermodynamics and measures of ecological integrity. In S. Paulsen et al. eds. Ecological Indicators. Elsevier Publ.
- Kent, R.T. and K.E. Payne. 1988. Sampling groundwater monitoring wells: special quality assurance and quality control considerations. Pages 231-46 in L.H. Keith, ed. Principles of Environmental Sampling. ACS Prof. Ref. Book. Am. Chem. Soc., Washington, DC.
- Kerans, B.L. and J.R. Karr. In Press. Development and testing of a benthic index of biotic integrity (B-IBI) for rivers of the Tennessee Valley. *Ecol. Appl.* 4.
- Kerans, B.L., J.R. Karr, and S.A. Ahlstedt. 1992. Aquatic invertebrate assemblages: spatial and temporal differences among sampling protocols. *J. N. Am. Benthol. Soc.* 11(4):377-90.
- Klemm, D.J., P.A. Lewis, F. Fulk, and J.M. Lazorchak. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. EPA/600/4-90-030. Off. Res. Develop., U.S. Environ. Prot. Agency, Washington, DC.
- Kolkwitz, R. and M. Marsson. 1908. Okologie der pflanzlichen saprobien. Berich. Deutsch. Bot. Gesellsch. 26:505-19.
- Korte, V.L. and D.W. Blinn. 1983. Diatom colonization on artificial substrata in pool and riffle zones studied by light and scanning electron microscopy. *J. Phycol.* 19:332-41.
- Kuchler, A.W. 1964. Potential natural vegetation of the coterminous United States. Spec. Publ. 36. Am. Geogr. Soc., A. Hoen & Co. Baltimore, MD.
- Lamberti, G.A. and J.W. Moore. 1984. Aquatic insects as primary producers. Pages 164-95 in V.H. Resh and D.M. Rosenberg, eds. The Ecology of Aquatic Insects. Praeger Scientific, New York, NY.
- Lamberti, G.A., L.R. Ashkenas, S.V. Gregory, and A.D. Steinman. 1987. Effects of three herbivores on periphyton communities in laboratory streams. *J. N. Am. Benthol. Soc.* 6:92-104.
- LaPoint, T.W. and J.F. Fairchild. 1989. Aquatic surveys. In W. Warren-Hicks et al. eds. Ecological Assessment of Hazardous Waste Sites: A Field and Laboratory Reference. EPA/600/3-89/013. Environ. Res. Lab., U.S. Environ. Prot. Agency, Corvallis, OR.
- Larsen, E.W., D.L. Johnson, and W.F. Lynch, Jr. 1986. A buoyant pop net for accurately sampling fish at artificial habitat structures. *Trans. Am. Fish. Soc.* 115(2):351-55.
- Lenat, D.R. 1988. Water quality assessment of streams using a qualitative collection method for benthic macroinvertebrates. *J. N. Am. Benthol. Soc.* 7:222-33.
- Leonard, P.M. and D.J. Orth. 1986. Application and testing of an index of biotic integrity in small, coolwater streams. *Trans. Am. Fish. Soc.* 115:401-14.
- Lincoln, R.J., G.A. Boxshall, and P.F. Clark. 1982. A Dictionary of Ecology, Evolution, and Systematics. Cambridge, University Press, Cambridge, England.
- Ludwig, J.A. and J.F. Reynolds. 1988. Statistical Ecology. John Wiley and Sons, Inc., New York.
- Lyons, J. 1989. Correspondence between the distribution of fish assemblages in Wisconsin streams and Omernik's ecoregions. *Am. Midl. Nat.* 122:163-82.
- . 1992. Using the index of biotic integrity (IBI) to measure environmental quality in warmwater streams of Wisconsin. Gen. Tech. Rep. NC-149. Forest Serv., U.S. Dep. Agric., St. Paul, MN.
- MacArthur, R.H. 1972. Geographical Ecology. Princeton University Press, Princeton, NJ.
- McCarthy, J.F. 1990. Concluding remarks: implementation of a biomarker-based environmental monitoring program. Pages 429-39 in J.F. McCarthy and L.R. Shugart, eds. Biomarkers of Environmental Contamination. Lewis Publ., Boca Raton, FL.

- McDermid, K.J. and R.J. Naiman. 1983. Macrophytes: Freshwater forest of lakes and rivers. *Am. Biol. Teacher* 45:144-50.
- MacDonald, L.H., A.W. Smart, and R.C. Wissmar. 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. Rep. EPA 910/9-91-001. U.S. Environ. Prot. Agency, Region 10, Seattle, WA.
- Maine Department of Environmental Protection. 1992. Briefing prep. by S.P. Davies. Augusta, ME.
- . 1992. Long-term Response of Aquatic Communities to Differing Water Quality Conditions in Three Rivers in Maine. Rep. prep. by S.P. Davies and Leon Tsomides. Augusta, ME.
- Mid-Atlantic Coastal Streams Workgroup. 1993. Standard Operating Procedures and Technical Basis: Macroinvertebrate Collection and Habitat Assessment for Low-gradient Nontidal Streams. Draft Rep. Delaware Dep. Nat. Res. Environ. Conserv., Dover.
- Miller, D.L. et al. 1988. Regional applications of an index of biotic integrity for use in water resource management. *Fisheries* 13(5):12-20.
- Miller, A.C., D.C. Beckett, C.M. Way, and E.J. Bacon. 1989. The Habitat Value of Aquatic Macrophytes for Macroinvertebrates. Tech. Rep. A-89-3. Waterways Exp. Sta., U.S. Army Corps Eng., Vicksburg, MS.
- Minshall, G.W. 1978. Autotrophy in stream ecosystems. *BioScience* 28:767-71.
- Molles, M.C. Jr. and C.N. Dahm. 1990. A perspective on El Nino and La Nina: global implications for stream ecology. *J. Natl. Benthol. Soc.* 9(1):68-76.
- Montana Department of Health and Environmental Sciences. 1990. Montana's Approach to Nonpoint Assessment and Monitoring. Outline. Water Qual. Bur., Helena, MT.
- Moss, D., M.T. Furse, J.F. Wright, and P.D. Armitage. 1987. The prediction of the macroinvertebrate fauna of unpolluted running-water sites in Great Britain using environmental data. *Freshw. Biol.* 17:41-52.
- Mount, D.I. and T.J. Norberg-King, eds. 1985. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Scippo Creek, Circleville, Ohio. EPA 600/3-85/044. U.S. Environ. Prot. Agency, Washington, DC.
- Mount, D.I. and T.J. Norberg-King, eds. 1986. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Kanawha River, Charleston, West Virginia. EPA 600/3-86/006. U.S. Environ. Prot. Agency, Washington, DC.
- Mount, D.I., T.J. Norberg-King, and A.E. Steen, eds. 1986. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Naugatuck River, Waterbury, Connecticut. EPA 600/8-86/005. U.S. Environ. Prot. Agency, Washington, DC.
- Mount, D.I., A.E. Steen, and T.J. Norberg-King, eds. 1986. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Back River, Baltimore Harbor, Maryland. EPA 600/8-86/001. U.S. Environ. Prot. Agency, Washington, DC.
- Mount, D.I., N. Thomas, M. Barbour, T. Norberg, T. Roush, and R. Brandes. 1984. Effluent and Ambient Toxicity Testing and In-stream Community Response on the Ottawa River, Lima, Ohio. EPA 600/3-84-080. Permits Division, Washington, DC, and Off Res. Dev., Duluth, MN.
- Mount, D.I. et al., eds. 1985. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Five Mile Creek, Birmingham, Alabama. EPA 600/8-85/015. U.S. Environ. Prot. Agency, Washington, DC.
- National Research Council. 1992. Restoration of Aquatic Ecosystems. Nat. Academy Press, Washington, DC.
- Newbury, R.W. 1984. Hydrologic determinants of aquatic insect habitats. Pages 232-57 in V.H. Resh and D.M. Rosenberg, eds. *The Ecology of Aquatic Insects*. Praeger Scientific, New York, NY.

- Norberg-King, T.J. and D.I. Mount, eds. 1986. Validity of Effluent and Ambient Toxicity Tests for Predicting Biological Impact, Skeleton Creek, Enid, Oklahoma. EPA 600/8-86/002. U.S. Environ. Prot. Agency, Washington, DC.
- North Carolina Department of Health and Natural Resources. 1990. Standard Operating Procedures, Biological Monitoring. Environ. Sci. Branch, Ecosystems Analysis Unit, Biol. Assess. Group, Water Qual. Sec., Div. Environ. Manage., Raleigh, NC.
- North Carolina Division of Environmental Management. 1978. 208 Phase I Results. Raleigh, NC.
- Noss, R.F. 1990. Indicators for monitoring biodiversity: a hierarchical approach. *Conserv. Biol.* 4:355-64.
- Oberdorff, T. and R.M. Hughes. 1992. Modification of an index of biotic integrity based on fish assemblages to characterize rivers of the Seine-Normandie Basin, France. *Hydrobiologia* 228:117-30.
- Ohio Environmental Protection Agency. 1987. Biological Criteria for the Protection of Aquatic Life. Vol. 1-3. Monitor. Assess. Prog., Surface Water Sec., Div. Water Qual., Columbus, OH.
- \_\_\_\_\_. 1990. The Use of Biocriteria in the Ohio EPA Surface Water Monitoring and Assessment Program. Columbus, OH.
- \_\_\_\_\_. 1991. Biological and Water Quality Study of the Hocking River Mainstem and Selected Tributaries: Fairfield, Hocking, and Athens County, Ohio. Rep., Columbus.
- \_\_\_\_\_. 1992. Ohio Water Resource Inventory. Executive Summary and Vol 1: Summary, Status, and Trends, Columbus.
- Omernik, J.M. 1987. Ecoregions of the conterminous United States. *Annu. Ass. Am. Geogr.* 77(1):118-25.
- Omernik, J.M. and G.E. Griffith. 1991. Ecological regions versus hydrologic units: Frameworks for managing water quality. *J. Soil Water Conserv.* 46(5):334-40.
- Omernik, J.M., M.A. Shirazi, and R.M. Hughes. 1982. A synoptic approach for regionalizing aquatic ecosystems. Pages 199-218 in *In-place Resource Inventories: Principles and Practices*. Proc. Soc. Am. Foresters, Univ. Maine, Orono.
- Omernik, J.M. and A.J. Kinney. 1985. Total alkalinity of surface waters: a map of the New England and New York region. EPA-600/D-84-216. Environ. Res. Lab., U.S. Environ. Prot. Agency, Corvallis, OR.
- Omernik, J.M. and G.E. Griffith. 1986. Total alkalinity of surface waters: a map of the Upper Midwest region. Map (scale 1:2,500,000). *Environ. Manage.* 10:829-39.
- \_\_\_\_\_. 1991. Ecological regions versus hydrologic units: frameworks for managing water quality. *J. Soil Water Conserv.* 46(5):334-40.
- Omernik, J.M., C.M. Rohm, S.E. Clarke, and D.P. Larsen. 1988. Summer total phosphorus in lakes: a map of Minnesota, Wisconsin, and Michigan. *Environ. Manage.* 12:815-25.
- Omernik, J.M. and A.L. Gallant. 1990. Defining regions for evaluating environmental resources. In *Global Natural Resource Monitoring and Assessments*. Proc. Int. Conf., Venice, Italy.
- Oregon Department of Environmental Quality. 1991. Biological Criteria-Implementation Plan. Draft. Portland, OR.
- Osborne, L.L. et al. 1991. Stream habitat assessment programs in states of the AFS north central division. *Fisheries* 16(3):28-35.
- Overton, J. 1991. Utilization of biological information in North Carolina's Water Quality Regulatory Program. In *Biological Criteria: Research and Regulation*. Off. Sci. Technol., U.S. Environ. Prot. Agency, Washington, DC.

- Padgett, W.G., A.P. Youngblood, and A.H. Winwood. 1989. Riparian Community Type Classification of Utah and Southeastern Idaho. R4-Ecol-89-01. Intermountain Res. Sta., Forest Serv., U.S. Dep. Agric. Ogden, UT.
- Pandit, A.K. 1984. Role of macrophytes in aquatic ecosystems and management of fresh-water resources. *J. Environ. Manage.* 18:73-88.
- Patrick, R. 1949. A proposed biological measure of stream conditions, based on a survey of the Conestoga Basin, Lancaster County, Pennsylvania. *Notulae Naturae of the Nat. Acad. Sci. Cl 277*, Philadelphia, Cl, 277.
- Paulsen, S.G. et al. 1991. EMAP-Surface Water Monitoring and Assessment Program — Fiscal Year 1991. EPA/600/3-91/022. Off. Res. Dev., U.S. Environ. Prot. Agency, Washington, DC.
- Plafkin, J.L. 1989. Water Quality-based controls and ecosystem recovery. Pages 87-96 in J.Cairns Jr., ed. *Rehabilitating Damaged Ecosystems*. Vol. 2. CRC Press, Boca Raton, FL.
- Plafkin, J.L. et al. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. EPA/444/4-89-001. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Platts, W.S., W.F. Megahan, and G.W. Minshall. 1983. Methods for Evaluating Stream, Riparian, and Biotic Conditions. Gen. Tech. Rep. INT-138. Intermountain Res. Sta., Forest Serv., U.S. Dep. Agric., Ogden, UT.
- Platts, W.S. et al. 1987. Methods for Evaluating Riparian Habitats with Applications to Management. Rep. Int-221. Intermountain Res. Sta., Forest Serv., U.S. Dep. Agric., Ogden, UT.
- Poff, N.L., N.J. Voetz, and J.V. Ward. 1990. Algal colonization under four experimentally controlled current regimes in a high mountain stream. *J. N. Am. Benthol. Soc.* 9:303-18.
- Pollard, J.E. 1981. Investigator differences associated with a kicking method for sampling macroinvertebrates. *J. Freshw. Ecol.* 1:215-24.
- Power, M.E. 1990. Effects of fish in river food webs. *Science* 250:811-14.
- Price, P.W. 1975. *Insect Ecology*. John Wiley, Sons, New York, NY.
- Primrose, N.L. 1989. Routine Benthic Biomonitoring Protocol: A Proposal. Maryland Dep. Environ., Annapolis, MD.
- Primrose, N.L., W.L. Butler, and E.S. Friedman. 1991. Assessing biological integrity using EPA Rapid Bioassessment Protocol II — The Maryland Experience. Pages 131-32 in *Biological Criteria: Research and Regulation*. EPA/440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Pringle, C.M. et al. 1988. Patch dynamics in lotic systems: the stream as a mosaic. *J. N. Am. Benthol. Soc.* 7:503-24.
- Rankin, E.T. 1989. The Qualitative Habitat Evaluation Index (QHEI): Rationale, Methods, and Application. Div. Water Qual. Plann. Assess., Ohio Environ. Prot. Agency, Columbus, OH.
- Rankin, E.T. 1991. The use of the qualitative habitat evaluation index for use attainability studies in streams and rivers in Ohio. Page 133 in *Biological Criteria: Research and Regulation*. EPA-440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.
- Rankin, E.T. and C. Yoder. 1991. Calculation and uses of the area of degradation value (ADV). In *Ohio Water Resource Inventory*. Exec. Sum. and Vol. 1. Ohio Environ. Prot. Agency, Columbus, OH.
- \_\_\_\_\_. 1992. Summary, Status and Trends. In *Ohio Water Resource Inventory*. Vol. 1. Ohio Environ. Prot. Agency, Columbus, OH.

- Reckhow, K. In review. Biological Criteria: Technical Guidance for Survey Design and Statistical Evaluation for Biosurvey Data. Off. Res. Dev., Off. Sci. Technol., U.S. Environ. Prot. Agency, Washington, DC.
- Resh, V.H. and J.K. Jackson. 1993. Rapid assessment approaches in benthic macroinvertebrate biomonitoring studies. In D.M. Rosenberg and V.H. Resh, eds. Freshwater Biomonitoring and Benthic Macroinvertebrates. Chapman and Hall, New York, NY.
- Rohm, C.M., J.W. Glese, and C.C. Bennett. 1987. Evaluation of an aquatic ecoregion classification of streams in Arkansas. Freshw. Ecol. 4:127-40.
- Rosgen, D.L. 1994. A classification of natural rivers. Catena 22:169-99.
- Schelske, C.L. 1984. *In situ* and natural phytoplankton assemblage bioassays. Pages 15-47 in L.E. Shubert, ed. Algae as Ecological Indicators. Academic Press, London, England.
- Science Advisory Board. 1993. Evaluation of Draft Technical Guidance on Biological Criteria for Streams and Small Rivers (prep. by the biological criteria subcommittee of the ecological processes and effects committee). An SAB Rep. EPA-SAB-EPEC-94-003. U.S. Environ. Prot. Agency, Washington, DC.
- Schuster, E.G. and H.R. Zuuring. 1986. Quantifying the unquantifiable: or have you stopped abusing measurement scale? J. Forest. 1986:25-30.
- Seddon, B. 1972. Aquatic macrophytes as limnological indicators. Freshw. Biol. 2:107-30.
- Shackleford, B. 1988. Rapid Bioassessments of Lotic Macroinvertebrate Communities: Biocriteria Development. Arkansas Dep. Pollut. Control Ecol., Little Rock, AR.
- Simon, A. and C.R. Hupp. 1987. Geomorphic and vegetative recovery processes along modified Tennessee streams: an interdisciplinary approach to disturbed fluvial systems. Int. Ass. Hydrol. Sci. 167:251-262.
- Smith, R.L. 1974. Ecology and Field Biology. 2nd ed. Harper & Row, New York, NY.
- Smith, G.R., J.N. Taylor, and T.W. Grimshaw. 1981. Ecological survey of fishes in the Raisin River drainage, Michigan. Mich. Acad. 13:275-305.
- Smith, F., S. Kulkarni, L.E. Myers, and M.J. Messner. 1988. Evaluating and presenting quality assurance data. Pages 157-68 in L.H. Keith, ed. Principles of Environmental Sampling. ACS Prof. Ref. Book. Am. Chem. Soc., Washington, DC.
- Standard Methods for the Examination of Water and Wastewater. 1989. 17th ed. Joint Editorial Board, Am. Pub. Health Ass., Am. Water Works Ass., and Water Pollut. Control Fed., Washington, DC.
- Steedman, R.J. 1988. Modification and assessment of an index of biotic integrity to quantify stream quality in southern Ontario. Can. J. Fish. Aquat. Sci. 45:492-501.
- Steinman, A.D. and C.D. McIntire. 1986. Effects of current velocity and light energy on the structure of periphyton assemblages in laboratory streams. J. Phycol. 22:352-61.
- . 1987. Effects of irradiance on the community structure and biomass of algal assemblages in laboratory streams. Can. J. Fish. Aquat. Sci. 44:1640-48.
- Steinman, A.D. et al. 1987. Effects of herbivore type and density on taxonomic structure and physiognomy of algal assemblages in laboratory streams. J. N. Am. Benthol. Soc. 6:175-88.
- Steinman, A.D. and A.F. Parker. 1990. Influence of substrate conditioning on periphytic growth in a heterotrophic woodland stream. J. N. Am. Benthol. Soc. 9:170-79.
- Stevenson, R.J. 1990. Benthic algal community dynamics in a stream during and after a spate. J. N. Am. Benthol. Soc. 9:277-88.
- Stribling, J.B. and M.T. Barbour. 1991. Application of QA concepts from the third ecological workshop to a long-term aquatic field assessment pilot study. Proc. 4th Ecological QA Workshop. U.S. Environ. Prot. Agency, Environ. Can., Cincinnati, OH.
- Tauber, M.J., C.A. Tauber, and S. Masaki. 1986. Seasonal Adaptations of Insects. Oxford Univ. Press, New York, NY.

- Tetra Tech, Inc. 1993. Evaluation of combined sewer overflows (CSOs) in Ohio using rapid bioassessment protocols (RBPs). Draft Rep. Off. Sci. Technol. and Off. Wetlands, Oceans and Watersheds. U.S. Environ. Prot. Agency, Washington, DC.
- Townsend, C.R. 1989. The patch dynamics concept of stream community ecology. J. N. Am. Benthol. Soc. 8:36-50.
- Ulanowicz, R.E. 1990. Ecosystem integrity and network theory. Pages 69-77 in C.J. Edwards and H.A. Regier, eds. An Ecosystem Approach to the Integrity of the Great Lakes in Turbulent Times. Spec. Pub. 90-4. Great Lakes Fish. Comm., Ann Arbor, MI.
- U.S. Department of Agriculture. 1981. Land resource regions and major land resource areas of the United States. Agricultural Handbook 296. U.S. Gov. Print. Off., Washington, DC.
- U.S. Environmental Protection Agency. 1980a. Guidelines and Specifications for Preparing Quality Assurance Program Plans. QAM5-004/80. Washington, DC.
- . 1980b. Interim Guidelines and Specifications for Preparing Quality Assurance Project Plans. QAMS-005/80. Washington, DC.
- . 1983. Technical Support Manual: Waterbody Surveys and Assessments for Conducting Use Attainability Analyses. Vol. 1-3. Off. Water Reg. Stand., Washington, DC.
- . 1984a. Policy and Program Requirements to Implement the Quality Assurance Program. EPA Order 5360.1. Washington, DC.
- . 1984b. The Development of Data Quality Objectives. Qual. Assur. Manage. Staff, DQO Workgroup, Washington, DC.
- . 1984c. Guidance for Preparation of Combined Work/Quality Assurance Project Plans for Environmental Monitoring. Rep. OWRS QA-1. Washington, DC.
- . 1985a. Technical Support Document for Water Quality-based Toxics Control. EPA/440/4-85/03. Washington DC.
- . 1985b. Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms. EPA/600/4-85/013. Cincinnati, OH.
- . 1986. Development of Data Quality Objectives — Descriptions of Stages I and II. Qual. Assur. Manage. Staff, Washington, DC.
- . 1987a. Report of the National Workshop on In-stream Biological Monitoring and Criteria. In-stream Biol. Criteria Comm., Off. Water Reg. Stand., Environ. Res. Lab., Reg. 5, Corvallis, OR.
- . 1987b. Surface Water Monitoring: A Framework for Change. Off. Water, Off. Policy Plann. Eval., Washington, DC.
- . 1988. Proceedings of the First National Workshop on Biological Criteria, Lincolnwood, Illinois, December 2-4, 1987. Rep. 905/9-89/003. Chicago, IL.
- . 1989. Short-term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Water to Freshwater Organisms. EPA/600/4-89/001. Environ. Monitor. Systems Lab., Cincinnati, OH.
- . 1990. Biological Criteria: National Program Guidance for Surface Waters. EPA-440/5-90-004. Off. Water, Washington, DC.
- . 1991a. Biological Criteria: State Development and Implementation Efforts. EPA-440/5-91-003. Off. Water, Washington, DC.
- . 1991b. Biological Criteria Guide to Technical Literature. EPA-440/5-91-004. Off. Water, Washington, DC.
- . 1991c. Technical Support Document for Water Quality-based Toxics Control. EPA-505/2-90-001. Off. Water, Washington, DC.
- . 1991d. Biological Criteria: Research and Regulation Proceedings of the Symposium. EPA-440/5-91-005. Off. Water, Washington, DC.

- . 1991e. Report of the ecoregions subcommittee of the ecological processes and effects committee. Evaluation of the Ecoregion Concept. EPA-SAB-EPEC-91-003. Washington, DC.
- . 1991f. The Watershed Protection approach: An Overview. EPA 503/9-92/002. Off. Water, Washington, DC.
- . 1993. The Watershed Protection approach. Annual Report 1992. EPA 840-S-93/001. Off. Water, Washington, DC.
- U.S. Government Printing Office. 1988. The Clean Water Act as amended by the Water Quality Act of 1987. Public Law 100-4. Washington, DC.
- Vannote, R.L. et al. 1980. The river continuum concept. *Can. J. Fish. Aquat. Sci.* 37:130-37.
- Weber, C.I. 1973. Biological monitoring of its aquatic environment by the Environmental Protection Agency. In *Biological Methods for the Assessment of Water Quality*. ASTM STP 528. Am. Soc. Test. Mater., Philadelphia, PA.
- Wallace, A.R. 1869. *The Malay Archipelago*. MacMillan, London, England.
- Westlake, D.F. 1975. Macrophytes. Pages 106-28 in B.A. Whitton, ed. *River Ecology*. Univ. California Press, Berkeley.
- Whittier, T.R., R.M. Hughes, and D.P. Larsen. 1988. Correspondence between ecoregions and spatial patterns in stream ecosystems in Oregon. *Can. J. Fish. Aquat. Sci.* 45:1264-78.
- Wilhelm, G. and D. Ladd. 1988. Natural Area Assessment in the Chicago Region. Pages 361-75 in *Trans. 53rd N. Am. Wildl. Nat. Resour. Conf.*
- Wilhm, J.L. and T.C. Dorris. 1968. Biological parameters of water quality criteria. *BioScience* 18:477-81.
- Williams, C.E. and A.L. Caskey. 1965. Soil fertility and cottontail fecundity in southeastern Missouri. *Am. Midl. Nat.* 74:211-24.
- Wright, J.F., D. Moss, P.D. Armitage, and M.T. Furse. 1984. A preliminary classification of running-water sites in Great Britain based on macroinvertebrate species and the prediction of community type using environmental data. *Freshw. Biol.* 14:221-56.
- Yankey, R. et al. 1991. Rock Creek: Rural Clean Water Program. Final Report 1981 — April 1991. Agric. Stabil. Conserv. Serv., Soil Conserv. Serv., Agric. Res. Serv., U.S. Dep. Agric., Idaho Div. Environ. Qual., Twin Falls and Snake River Soil Conserv. Dist., Twin Falls, ID.
- Yoder, C.O. 1991. The integrated biosurvey as a tool for evaluation of aquatic life use attainment and impairment in Ohio Surface Waters. In *Biological Criteria: Research and Regulation*. EPA-440/5-91-005. Off. Water, U.S. Environ. Prot. Agency, Washington, DC.